

UKCA marking

Construction Products (Amendment etc.) (EU Exit) Regulations 2019

Declaration of Performance

- 1. DOP CPR reference number: GBWP0001/2021
- 2. Product Type: Wallpaper.
- 3. Intended Use: Internal decorative wallcovering.
- 4. Classification: CWFT (classified without further testing).
- 5. Certification Body: Not applicable.
- 6. Manufacturer: Graham & Brown Ltd
India Mill
Harwood Street
Blackburn
Lancashire
BB13DB

7. Declared Performance:

Essential Characteristic	Performance	Test standard
Reaction to Fire	D-s3, d2 (CWFT)	EN 15102:A1:2011
Release of Formaldehyde (max 120mg/kg)	Testing not necessary	EN 15102:A1:2011
Heavy Metals & specific elements: Antimony (no max upper limit) Arsenic (max 25mg/kg) Barium (max 500mg/kg) Cadmium (max 25mg/kg) Chromium (max 60mg/kg) Lead (max 90mg/kg) Mercury (20mg/kg) Selenium (165mg/kg)	Testing not necessary	EN 15102:A1:2011
Release of Vinyl Chloride monomer (max 1mg/kg)	Testing not necessary	EN 15102:A1:2011
Sound Absorption	No performance determined	-
Thermal Resistance	No performance determined	-

- 8. Authorisation: Sam Dobson
Operations Director UK

9. Signature:



10. Date:

18/1/21